



LVC-MR16

LED - LVC-MR16

MATERIAL	MODEL NUMBER	LUMENS	KELVIN
Thermal plastic body	LVC2-MR16-FL-27K LED	240 Lumens	2700K
Thermal plastic body	LVC2-MR16-FL-30K LED	240 Lumens	3000K
Thermal plastic body	LVC2-MR16-WF-27K LED	240 Lumens	2700K
Thermal plastic body	LVC3-MR16-FL-27K LED	350 Lumens	2700K
Thermal plastic body	LVC3-MR16-FL-30K LED	350 Lumens	3000K
Thermal plastic body	LVC3-MR16-WF-27K LED	350 Lumens	2700K
Thermal plastic body	LVC5-MR16-FL-27K LED	450 Lumens	2700K
Thermal plastic body	LVC5-MR16-WF-27K LED	450 Lumens	2700K

SPECIFICATIONS:

Material:

- Thermal plastic body

Socket Type:

- GU5.3 base socket

Dimensions:

- LVC Series: 2"W x 1.625" H

Voltage Range:

- 9-15 volts AC/DC

IP Rating:

- IP 54
- Made for use in enclosed fixtures

Electrical:

- LVC2-MR16: 240 Lumens, 3 Watts, .39 VA, .7 PF
- LVC3-MR16: 350 Lumens, 5 Watts, .60 VA, .7 PF
- LVC5-MR16: 450 Lumens, 7 Watts, .72 VA, .7 PF

Rated Hours:

- 15,000

Dimmable:

- Yes with Lutron magnetic dimmers

Certification:

- CETL listed and approved.
- FCC Certified (won't interfere with electronics)



Intertek

