


HL

Hanging Lights



Hanging Light

HL2300WB

MATERIAL / FEATURES

- Heavy duty cast brass
- Includes stainless steel hardware and wire
- Includes optional clear and frosted lenses
- HL2300WB
- HL2300WB-LXC2-MR16
 - Includes LXC2-MR16-FL-27K LED lamp in fixture box
- (WB) Weathered Brass
 - WB Brass finish will patina / tarnish depending on environmental conditions
- Includes two AC-102 silicone filled wire connectors
- Fixture - lifetime warranty

ELECTRICAL

- 12 volt fixture
- 10' - #18/2 direct bury wire
- HI-temp ceramic socket w/nickel contacts, stainless steel springs, and Teflon jacketed wire leads
- Lamp required - MR16
- Low voltage transformer required (not included)
- C ETL listed and approved

LED LAMP OPTIONS

- LXC2-MR16
- LXC3-MR16
- LXC5-MR16
- LV1-T3
- LV2-T3
- LV3-T3

DIMENSIONS

- 2.25" W x 5" H



HL2300WB



LV1-T3



LV2-T3



LV3-T3



LXC2-MR16



LXC3-MR16



LXC5-MR16

Hanging Light

HL2300WB-LXC2

KITTED FIXTURE

PRODUCT DESCRIPTION

- The HL2300WB-LXC2 includes:
 - HL2300WB
 - LXC2 LED lamp
- (WB) Weathered Brass
 - WB Brass finish will patina / tarnish depending on environmental conditions
- Includes two AC-102 silicone filled wire connectors
- Fixture - lifetime warranty
- LED lamp - 7 year warranty

LED LAMP INCLUDED

- LXC2-MR16-FL-27K
- 9-15 V AC/DC
- Constant current driver for long life
- FCC certified
- C ETL listed and approved
- 40 degree flood
- 2700K
- 250 Lumens
- COB technology

DIMENSIONS

- 2.25" W x 5" H



HL2300WB-LXC2



LXC2-MR16

Hanging Light

HL2600WB

MATERIAL / FEATURES

- Heavy duty cast brass
- Includes stainless steel hardware and wire
- Includes optional clear and frosted lenses
- HL2600WB
- HL2600WB-LXC2-MR16
 - Includes LXC2-MR16-FL-27K LED lamp in fixture box
- (WB) Weathered Brass
 - WB Brass finish will patina / tarnish depending on environmental conditions
- Includes two AC-102 silicone filled wire connectors
- Fixture - lifetime warranty

ELECTRICAL

- 12 Volt fixture
- 10' - #18/2 Direct bury wire
- HI-temp ceramic socket w/nickel contacts, stainless steel springs, and Teflon jacketed wire leads
- Lamp required - MR16
- Low voltage transformer required (not included)
- C ETL listed and approved

LED LAMP OPTIONS

- LXC2-MR16
- LXC3-MR16
- LXC5-MR16
- LV1-T3
- LV2-T3
- LV3-T3

DIMENSIONS

- 2.5" W x 7" H



Intertek



HL2600WB



LV1-T3



LV2-T3



LV3-T3



LXC2-MR16



LXC3-MR16



LXC5-MR16

Hanging Light

HL2600WB-LXC2

KITTED FIXTURE

PRODUCT DESCRIPTION

- The HL2600WB-LXC2 includes:
 - HL2600WB
 - LXC2 LED lamp
- (WB) Weathered Brass
 - WB Brass finish will patina / tarnish depending on environmental conditions
- Includes two AC-102 silicone filled wire connectors
- Fixture - lifetime warranty
- LED lamp - 7 year warranty

LED LAMP INCLUDED

- LXC2-MR16-FL-27K
- 9-15 V AC/DC
- Constant current driver for long life
- FCC certified
- C ETL listed and approved
- 40 degree flood
- 2700K
- 250 Lumens
- COB technology

DIMENSIONS

- 2.5" W x 7" H



HL2600WB-LXC2



LXC2-MR16



Intertek

